

## REX PVC Electrical Conduit Pipe

We are engaged in offering Conduit Pipes which are highly durable and are acknowledged for its long lasting life. We offer a superior range of PVC Conduit Pipes to clients, which have got excellent features that make them superior from other pipes offered in market. They are insulated against electricity. Rex uses offer high quality raw material for manufacturing these P.V.C conduit pipes. They are suitable for different purposes. Moreover, these are made as per latest and with advanced technology machinery for manufacturing these P.V.C conduit pipes

### FEATURES:

- ✓ High insulation resistance.
- ✓ Processed on twin screws extruders
- ✓ Minimum filler ensures high impact strength
- ✓ Corrosion proof smooth surface
- ✓ Easy repair and replacement.
- ✓ Unplasticized PVC Formulation to improve the mechanical structure



### ADVANTAGES:

- ✓ Provide good mechanical protection for inside cables
- ✓ Easy passage of maximum size and number of cables permitted
- ✓ Uniformity of wall thickness

| Medium            |             |            |                |      | Heavy             |             |            |                |      |
|-------------------|-------------|------------|----------------|------|-------------------|-------------|------------|----------------|------|
| Nominal Size (MM) | Outside DIA | Inside DIA | Wall Thickness |      | Nominal Size (MM) | Outside DIA | Inside DIA | Wall Thickness |      |
|                   |             |            | Min.           | Max  |                   |             |            | Min            | Max  |
| 20                | 20          | 17.0       | 1.30           | 1.50 | 20                | 20          | 15.9       | 1.80           | 2.05 |
| 25                | 25          | 22.0       | 1.30           | 1.50 | 25                | 25          | 20.9       | 1.80           | 2.05 |
| 32                | 32          | 28.7       | 1.40           | 1.65 | 32                | 32          | 27.0       | 2.30           | 2.50 |
| 40                | 40          | 36.6       | 1.50           | 1.70 | 40                | 40          | 35.0       | 2.30           | 2.50 |
| 50                | 50          | 45.8       | 1.80           | 2.10 | 50                | 50          | 44.4       | 2.50           | 2.80 |



“ Tested as Heatproof ”